

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010

| Part of body | Part of body code ³ | Local government ⁴ | Source of injury or illness ⁵ | | | | |
|--|--------------------------------|-------------------------------|--|------------|------------------------|-----------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Total [188,420 cases] | | 180.6 | 1.7 | 12.5 | 8.1 | 4.5 | 7.2 |
| Head | 0 | 10.0 | .3 | .2 | .5 | .2 | .7 |
| Head, unspecified | 00 | 2.0 | — | .1 | .1 | .1 | .1 |
| Cranial region, including skull | 01 | 2.9 | — | (7) | .1 | .1 | .2 |
| Cranial region, unspecified | 010 | (7) | — | — | — | — | — |
| Brain | 011 | 2.2 | — | — | .1 | (7) | .2 |
| Scalp | 012 | .5 | — | (7) | .1 | (7) | (7) |
| Skull | 013 | (7) | — | — | — | — | — |
| Ear(s) | 02 | .2 | — | — | — | — | — |
| Face | 03 | 4.5 | .3 | .1 | .3 | .1 | .3 |
| Face, unspecified | 030 | .5 | — | — | — | — | .1 |
| Forehead | 031 | .4 | — | (7) | — | — | .1 |
| Eye(s) | 032 | 1.8 | .3 | (7) | (7) | (7) | .1 |
| Nose, nasal cavity | 033 | .4 | — | — | — | — | (7) |
| Nose, except internal location of diseases or disorders | 0330 | .4 | — | — | — | — | (7) |
| Cheek(s) | 034 | .5 | — | — | — | — | — |
| Jaw/chin | 035 | .1 | — | — | — | — | — |
| Mouth | 036 | .2 | — | (7) | — | — | (7) |
| Tooth(teeth) | 0363 | .2 | — | (7) | — | — | (7) |
| Multiple face locations | 038 | .7 | — | — | .2 | (7) | — |
| Face, n.e.c. | 039 | (7) | — | — | — | — | — |
| Multiple head locations | 08 | .4 | — | — | — | — | — |
| Neck, including throat | 1 | 2.6 | — | .2 | .1 | .1 | (7) |
| Neck, except internal location of diseases or disorders | 10 | 2.6 | — | .2 | .1 | .1 | (7) |
| Trunk | 2 | 54.6 | .1 | 6.5 | 2.7 | 1.2 | 2.9 |
| Trunk, unspecified | 20 | .2 | — | (7) | — | (7) | — |
| Shoulder, including clavicle, scapula | 21 | 13.9 | — | 1.9 | .8 | .2 | .8 |
| Chest, including ribs, internal organs | 22 | 4.0 | .1 | .1 | .2 | .1 | .1 |
| Chest, except internal location of diseases or disorders | 220 | 2.6 | — | .1 | .2 | .1 | .1 |
| Internal chest location, unspecified | 221 | .1 | — | — | — | — | — |
| Heart | 223 | .9 | — | — | — | — | — |
| Lung(s), pleura | 225 | .3 | .1 | — | — | — | — |
| Back, including spine, spinal cord | 23 | 30.1 | — | 3.7 | 1.3 | .6 | 1.5 |
| Back, including spine, spinal cord, unspecified | 230 | 11.8 | — | 1.4 | .4 | .2 | .3 |
| Lumbar region | 231 | 15.8 | — | 2.1 | .8 | .4 | 1.1 |
| Thoracic region | 232 | 1.1 | — | .1 | (7) | (7) | (7) |
| Sacral region | 233 | (7) | — | — | — | — | — |
| Coccygeal region | 234 | .1 | — | — | — | — | — |
| Multiple back regions | 238 | 1.0 | — | .1 | (7) | (7) | (7) |

See footnotes at end of table.

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | |
|--|---|-----------|----------|-------------------------------|------------------------------------|---|---------------------------|--------------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person, injured or ill worker | | Person, other than injured or ill worker | | All other sources ⁶ |
| | | | | Total | Worker motion or position | Total | Health care patient | |
| Total [188,420 cases] | 45.5 | 5.4 | 18.0 | 28.7 | 25.3 | 23.4 | 7.2 | 25.7 |
| Head | 1.8 | .6 | 2.0 | .1 | — | 1.1 | .1 | 2.7 |
| Head, unspecified | .7 | .1 | .2 | — | — | .1 | (7) | .6 |
| Cranial region, including skull | .5 | — | 1.4 | — | — | .1 | — | .3 |
| Cranial region, unspecified | (7) | — | — | — | — | — | — | — |
| Brain | .5 | — | 1.1 | — | — | .1 | — | .2 |
| Scalp | (7) | — | .3 | — | — | (7) | — | .1 |
| Skull | (7) | — | — | — | — | — | — | — |
| Ear(s) | — | — | — | — | — | — | — | .1 |
| Face | .6 | .5 | .1 | (7) | — | .7 | .1 | 1.6 |
| Face, unspecified | .1 | — | (7) | — | — | .1 | — | .1 |
| Forehead | .1 | — | (7) | — | — | .1 | — | .1 |
| Eye(s) | — | .1 | — | (7) | — | .2 | (7) | 1.0 |
| Nose, nasal cavity | .1 | — | — | — | — | .1 | — | .2 |
| Nose, except internal location of diseases or disorders | .1 | — | — | — | — | .1 | — | .2 |
| Cheek(s) | — | .4 | — | — | — | — | — | .1 |
| Jaw/chin | .1 | — | — | — | — | .1 | (7) | (7) |
| Mouth | (7) | — | (7) | — | — | (7) | — | (7) |
| Tooth(teeth) | (7) | — | (7) | — | — | (7) | — | — |
| Multiple face locations | .3 | — | — | — | — | .1 | — | (7) |
| Face, n.e.c. | — | — | — | — | — | — | — | — |
| Multiple head locations | (7) | — | .2 | — | — | .1 | — | .1 |
| Neck, including throat | .1 | (7) | .6 | .3 | .3 | .8 | .2 | .3 |
| Neck, except internal location of diseases or disorders ... | .1 | (7) | .6 | .3 | .3 | .8 | .2 | .3 |
| Trunk | 7.7 | 2.1 | 4.8 | 9.5 | 7.7 | 10.3 | 5.2 | 6.9 |
| Trunk, unspecified | — | — | .1 | — | — | (7) | — | — |
| Shoulder, including clavicle, scapula | 2.3 | .7 | 1.1 | 1.8 | 1.7 | 2.4 | 1.0 | 1.9 |
| Chest, including ribs, internal organs | .4 | .1 | .4 | 1.4 | .2 | .6 | .1 | .5 |
| Chest, except internal location of diseases or disorders | .4 | .1 | .4 | .2 | .1 | .6 | .1 | .4 |
| Internal chest location, unspecified | — | — | — | .1 | — | — | — | — |
| Heart | — | — | — | .9 | — | — | — | — |
| Lung(s), pleura | — | — | — | .2 | — | (7) | — | .1 |
| Back, including spine, spinal cord | 3.6 | 1.2 | 2.8 | 5.2 | 5.0 | 6.5 | 3.7 | 3.7 |
| Back, including spine, spinal cord, unspecified | 2.0 | .3 | 1.0 | 1.8 | 1.8 | 2.9 | 1.5 | 1.5 |
| Lumbar region | 1.3 | .8 | 1.2 | 2.9 | 2.8 | 3.1 | 1.9 | 2.0 |
| Thoracic region | .1 | — | .2 | .1 | .1 | .3 | .2 | .1 |
| Sacral region | (7) | — | — | — | — | — | — | — |
| Coccygeal region | .1 | — | — | — | — | — | — | — |
| Multiple back regions | .1 | (7) | .3 | .1 | .1 | .3 | .2 | (7) |

See footnotes at end of table.

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010 — Continued

| Part of body | Part of body code ³ | Local govern-ment ⁴ | Source of injury or illness ⁵ | | | | |
|--|--------------------------------|--------------------------------|--|------------------|------------------------|------------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Back, including spine, spinal cord, n.e.c. | 239 | 0.3 | — | (⁷) | — | — | — |
| Abdomen | 24 | 2.5 | — | .3 | 0.2 | 0.1 | 0.4 |
| Abdomen, except internal location of diseases or disorders | 240 | .9 | — | .1 | .1 | — | .2 |
| Internal abdominal location, unspecified | 241 | .5 | — | .1 | .1 | (⁷) | .1 |
| Stomach organ | 242 | .1 | — | (⁷) | — | — | — |
| Urinary organs | 244 | .1 | — | — | — | — | — |
| Kidney(s) | 2442 | .1 | — | — | — | — | — |
| Intestines, peritoneum | 245 | .8 | — | .1 | .1 | (⁷) | .1 |
| Intestines, peritoneum, unspecified | 2450 | .8 | — | .1 | .1 | (⁷) | .1 |
| Peritoneum | 2451 | (⁷) | — | — | — | — | — |
| Pelvic region | 25 | 2.4 | — | .3 | .2 | (⁷) | .1 |
| Hip(s) | 251 | 1.1 | — | (⁷) | .1 | — | — |
| Pelvis | 252 | .1 | — | (⁷) | — | — | — |
| Buttock(s) | 253 | .3 | — | — | — | — | — |
| Groin | 254 | .8 | — | .2 | (⁷) | (⁷) | (⁷) |
| External reproductive tract structures | 255 | (⁷) | — | — | — | — | — |
| Scrotum | 2551 | (⁷) | — | — | — | — | — |
| Multiple pelvic region locations | 258 | (⁷) | — | — | — | — | — |
| Multiple trunk locations | 28 | 1.3 | — | .1 | .1 | .1 | .1 |
| Trunk, n.e.c. | 29 | (⁷) | — | — | — | — | — |
| Upper extremities | 3 | 30.3 | 0.1 | 2.0 | 2.2 | 2.0 | 1.7 |
| Upper extremities, unspecified | 30 | (⁷) | — | — | — | — | — |
| Arm(s) | 31 | 7.6 | (⁷) | .7 | .3 | .2 | .5 |
| Arm(s), unspecified | 310 | 2.5 | — | .4 | .1 | (⁷) | .1 |
| Upper arm(s) | 311 | 1.0 | — | .1 | (⁷) | .1 | .1 |
| Elbow(s) | 312 | 2.4 | — | .1 | .2 | .1 | .1 |
| Forearm(s) | 313 | .9 | (⁷) | .1 | — | (⁷) | (⁷) |
| Multiple arm(s) locations | 318 | .7 | — | (⁷) | — | — | .2 |
| Arm(s), n.e.c. | 319 | .1 | — | — | — | — | — |
| Wrist(s) | 32 | 5.3 | — | .4 | .1 | .1 | .2 |
| Hand(s), except finger(s) | 33 | 6.5 | (⁷) | .2 | 1.4 | .2 | .2 |
| Finger(s), fingernail(s) | 34 | 8.4 | — | .5 | .3 | 1.4 | .8 |
| Multiple upper extremities locations | 38 | 2.5 | (⁷) | .2 | .1 | .1 | (⁷) |
| Multiple upper extremities locations, unspecified | 380 | (⁷) | — | — | — | — | — |
| Hand(s) and finger(s) | 381 | .5 | — | .1 | — | (⁷) | — |
| Hand(s) and wrist(s) | 382 | .6 | — | — | (⁷) | — | — |
| Hand(s) and arm(s) | 383 | .5 | — | .1 | — | — | — |
| Multiple upper extremities locations, n.e.c. | 389 | .9 | — | (⁷) | (⁷) | (⁷) | — |
| Upper extremities, n.e.c. | 39 | .1 | — | — | — | — | — |
| Lower extremities | 4 | 44.3 | .1 | 2.7 | 1.3 | .6 | 1.2 |
| Lower extremities, unspecified | 40 | (⁷) | — | — | — | — | — |
| Leg(s) | 41 | 26.8 | — | 2.2 | .6 | .3 | .3 |
| Leg(s), unspecified | 410 | 3.4 | — | 1.7 | .2 | (⁷) | .1 |
| Thigh(s) | 411 | .6 | — | .1 | (⁷) | (⁷) | (⁷) |

See footnotes at end of table.

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | | All other sources ⁶ | |
|--|--|------------------|------------------|-------------------------------|---------------------------|--|---------------------|------------------|--------------------------------|--|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person, injured or ill worker | | Person, other than injured or ill worker | | | | |
| | | | | Total | Worker motion or position | Total | Health care patient | | | |
| Back, including spine, spinal cord, n.e.c. | (⁷) | — | (⁷) | 0.1 | 0.1 | — | — | (⁷) | .4 | |
| Abdomen | (⁷) | .1 | .1 | .4 | .2 | .3 | .1 | (⁷) | .4 | |
| Abdomen, except internal location of diseases or disorders | (⁷) | (⁷) | (⁷) | .1 | .1 | .2 | .1 | (⁷) | .2 | |
| Internal abdominal location, unspecified | — | (⁷) | (⁷) | .1 | .1 | .1 | (⁷) | (⁷) | .1 | |
| Stomach organ | — | — | — | — | — | — | — | — | — | |
| Urinary organs | — | — | — | .1 | — | — | — | — | — | |
| Kidney(s) | — | — | — | .1 | — | — | — | — | — | |
| Intestines, peritoneum | — | (⁷) | .1 | .1 | (⁷) | (⁷) | (⁷) | (⁷) | .2 | |
| Intestines, peritoneum, unspecified | — | (⁷) | .1 | .1 | (⁷) | (⁷) | (⁷) | (⁷) | .2 | |
| Peritoneum | — | — | — | — | — | — | — | — | — | |
| Pelvic region | .8 | (⁷) | (⁷) | .5 | .5 | .2 | .1 | .1 | .3 | |
| Hip(s) | .5 | — | (⁷) | .2 | .2 | .1 | (⁷) | .1 | — | |
| Pelvis | .1 | — | — | — | — | — | — | — | — | |
| Buttock(s) | .2 | — | — | — | — | — | — | — | — | |
| Groin | (⁷) | (⁷) | — | .2 | .2 | .1 | (⁷) | .1 | — | |
| External reproductive tract structures | — | — | — | — | — | — | — | (⁷) | — | |
| Scrotum | — | — | — | — | — | — | — | — | — | |
| Multiple pelvic region locations | — | — | — | — | — | — | — | — | — | |
| Multiple trunk locations | .4 | — | .1 | .2 | .2 | .2 | .1 | .1 | .1 | |
| Trunk, n.e.c. | (⁷) | — | — | — | — | — | — | — | — | |
| Upper extremities | 5.9 | 2.2 | 2.0 | 2.6 | 2.5 | 3.9 | .6 | 5.7 | — | |
| Upper extremities, unspecified | — | — | — | — | — | — | — | — | — | |
| Arm(s) | 2.1 | .3 | .7 | .7 | .6 | .8 | .2 | 1.3 | — | |
| Arm(s), unspecified | .5 | (⁷) | .4 | .1 | .1 | .2 | (⁷) | .6 | — | |
| Upper arm(s) | .3 | (⁷) | .1 | .2 | .2 | (⁷) | (⁷) | .1 | — | |
| Elbow(s) | 1.0 | .1 | .1 | .2 | .2 | .2 | .1 | .3 | — | |
| Forearm(s) | .2 | .1 | .1 | (⁷) | (⁷) | .1 | (⁷) | .2 | — | |
| Multiple arm(s) locations | .1 | — | — | .1 | .1 | .2 | — | (⁷) | — | |
| Arm(s), n.e.c. | — | — | — | — | — | — | — | — | — | |
| Wrist(s) | 1.6 | .3 | .3 | 1.2 | 1.2 | .6 | .2 | .5 | — | |
| Hand(s), except finger(s) | .9 | .5 | .3 | .3 | .3 | 1.2 | .1 | 1.3 | — | |
| Finger(s), fingernail(s) | .6 | 1.1 | .5 | .2 | .2 | .7 | .1 | 2.2 | — | |
| Multiple upper extremities locations | .6 | .1 | .1 | .2 | .2 | .7 | .1 | .4 | — | |
| Multiple upper extremities locations, unspecified | (⁷) | — | — | — | — | — | — | — | — | |
| Hand(s) and finger(s) | (⁷) | — | — | (⁷) | (⁷) | .2 | — | .1 | — | |
| Hand(s) and wrist(s) | .2 | — | (⁷) | .1 | .1 | .1 | — | .1 | — | |
| Hand(s) and arm(s) | .1 | — | (⁷) | — | — | .2 | — | .1 | — | |
| Multiple upper extremities locations, n.e.c. | .2 | (⁷) | (⁷) | .1 | .1 | .2 | (⁷) | .1 | — | |
| Upper extremities, n.e.c. | (⁷) | — | — | — | — | (⁷) | — | — | — | |
| Lower extremities | 16.0 | .4 | 2.4 | 13.2 | 12.9 | 2.9 | .3 | 3.6 | — | |
| Lower extremities, unspecified | — | — | — | — | — | — | — | — | — | |
| Leg(s) | 9.4 | .3 | 1.4 | 8.5 | 8.3 | 1.8 | .2 | 1.8 | — | |
| Leg(s), unspecified | .4 | .1 | .1 | .3 | .3 | .1 | (⁷) | .3 | — | |
| Thigh(s) | .1 | (⁷) | (⁷) | .2 | .2 | .1 | (⁷) | .1 | — | |

See footnotes at end of table.

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010 — Continued

| Part of body | Part of body code ³ | Local government ⁴ | Source of injury or illness ⁵ | | | | |
|---|--------------------------------|-------------------------------|--|------------------|------------------------|------------------|---------------------|
| | | | Chemicals and chemical products | Containers | Furniture and fixtures | Machinery | Parts and materials |
| Knee(s) | 412 | 19.6 | — | 0.3 | 0.3 | 0.2 | 0.2 |
| Lower leg(s) | 413 | 1.9 | — | (⁷) | .1 | (⁷) | .1 |
| Multiple leg(s) locations | 418 | .8 | — | — | — | — | — |
| Leg(s), n.e.c. | 419 | .5 | — | — | — | — | — |
| Ankle(s) | 42 | 8.9 | (⁷) | .1 | .1 | .1 | .1 |
| Foot(feet), except toe(s) | 43 | 5.5 | — | .2 | .2 | .1 | .6 |
| Foot(feet), except toe(s), unspecified | 430 | 4.8 | — | .2 | .2 | .1 | .6 |
| Instep(s) | 431 | (⁷) | — | — | — | — | — |
| Sole | 432 | .4 | — | (⁷) | — | (⁷) | (⁷) |
| Sole(s), unspecified | 4320 | (⁷) | — | — | — | — | — |
| Heel(s) | 4323 | .4 | — | (⁷) | — | (⁷) | (⁷) |
| Multiple foot(feet) locations | 438 | .1 | — | — | — | — | — |
| Foot(feet), n.e.c. | 439 | .1 | — | — | — | — | — |
| Toe(s), toenail(s) | 44 | 1.2 | — | .1 | .2 | (⁷) | .1 |
| Multiple lower extremities locations | 48 | 2.1 | — | (⁷) | .1 | .1 | (⁷) |
| Multiple lower extremities locations, unspecified | 480 | .2 | — | — | — | — | — |
| Foot(feet) and leg(s) | 481 | .2 | — | — | — | — | — |
| Foot(feet) and ankle(s) | 482 | .5 | — | — | (⁷) | — | — |
| Foot(feet) and toe(s) | 483 | .1 | — | — | — | — | (⁷) |
| Multiple lower extremities locations, n.e.c. | 489 | 1.1 | — | (⁷) | (⁷) | .1 | — |
| Lower extremities, n.e.c. | 49 | (⁷) | — | — | — | — | — |
| Body systems | 5 | 4.9 | 1.0 | — | — | .1 | .1 |
| Multiple body parts | 8 | 31.4 | .1 | 1.0 | 1.3 | .2 | .5 |
| Nonclassifiable | 9999 | 2.4 | — | — | — | — | — |

See footnotes at end of table.

TABLE L23. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and and selected sources of injury or illness, local government, 2010 — Continued

| Part of body | Source of injury or illness ⁵ | | | | | | | |
|---|---|------------------|------------------|-------------------------------|------------------------------------|---|---------------------------|--------------------------------------|
| | Floors, walkways or ground surfaces | Handtools | Vehicles | Person, injured or ill worker | | Person, other than injured or ill worker | | All other sources ⁶ |
| | | | | Total | Worker motion or position | Total | Health care patient | |
| Knee(s) | 8.0 | 0.1 | 1.0 | 6.7 | 6.5 | 1.6 | 0.1 | 1.1 |
| Lower leg(s) | .7 | (⁷) | .2 | .4 | .4 | .1 | — | .3 |
| Multiple leg(s) locations | .2 | — | (⁷) | .4 | .4 | (⁷) | (⁷) | (⁷) |
| Leg(s), n.e.c. | — | — | — | .5 | .5 | — | — | (⁷) |
| Ankle(s) | 3.8 | (⁷) | .3 | 3.2 | 3.1 | .4 | (⁷) | .6 |
| Foot(feet), except toe(s) | 1.8 | (⁷) | .3 | 1.1 | 1.1 | .2 | (⁷) | .8 |
| Foot(feet), except toe(s), unspecified | 1.6 | (⁷) | .2 | 1.0 | 1.0 | .1 | (⁷) | .7 |
| Instep(s) | — | — | — | — | — | — | — | — |
| Sole | .2 | — | (⁷) | .1 | .1 | (⁷) | — | (⁷) |
| Sole(s), unspecified | — | — | — | — | — | — | — | — |
| Heel(s) | .2 | — | — | .1 | .1 | — | — | (⁷) |
| Multiple foot(feet) locations | — | — | (⁷) | — | — | (⁷) | — | — |
| Foot(feet), n.e.c. | — | — | — | (⁷) | (⁷) | — | — | .1 |
| Toe(s), toenail(s) | .1 | (⁷) | .2 | (⁷) | — | .1 | — | .3 |
| Multiple lower extremities locations | .8 | — | .2 | .3 | .3 | .4 | (⁷) | .1 |
| Multiple lower extremities locations, unspecified | .1 | — | — | — | — | — | — | — |
| Foot(feet) and leg(s) | .1 | — | — | .1 | .1 | — | — | — |
| Foot(feet) and ankle(s) | .2 | — | .1 | .1 | .1 | (⁷) | — | (⁷) |
| Foot(feet) and toe(s) | (⁷) | — | — | — | — | — | — | (⁷) |
| Multiple lower extremities locations, n.e.c. | .4 | — | (⁷) | .2 | .2 | .3 | — | .1 |
| Lower extremities, n.e.c. | (⁷) | — | — | — | — | — | — | — |
| Body systems | (⁷) | — | (⁷) | 1.1 | .2 | .6 | — | 1.8 |
| Multiple body parts | 13.8 | .2 | 6.3 | 1.8 | 1.6 | 3.7 | .7 | 2.5 |
| Nonclassifiable | .2 | — | (⁷) | .1 | .1 | .1 | .1 | 2.0 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
EH = total hours worked by all employees during the calendar year

20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year)

² Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

³ Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Excludes farms with fewer than 11 employees.

⁵ Data shown in columns correspond to the following Source codes: Chemicals and chemical products = 00-09; Containers = 10-19; Furniture and fixtures = 20-29; Machinery = 30-39; Parts and materials = 40-49; Person, injured or ill worker = 56; Worker motion or position = 562; Person, other than injured or ill worker = 57; Health care patient = 573; Floors, walkways, or ground surfaces = 62; Handtools = 71-73; Vehicles = 80-89; All other sources = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁶ Includes nonclassifiable responses.

⁷ Data too small to be displayed.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies